

COMPANY NAME: _____
 STREET ADDRESS: _____
 CITY: _____ STATE: _____ ZIP: _____



BONNER

ANALYTICAL TESTING COMPANY

2703 Oak Grove Road
 Hattiesburg, MS 39402
 (P) 601-264-2854
 www.batco.com

NAME OF PERSON TO CONTACT: _____
 CONTACT PERSON'S PHONE: _____
 CONTACT PERSON'S EMAIL: _____

CLIENT PROJECT NO.	CLIENT P.O.#	CLIENT PROJECT NAME
--------------------	--------------	---------------------

SAMPLE DESCRIPTION	DATE	TIME	MATRIX*
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			

PARAMETERS FOR ANALYSIS							NUMBER OF CONTAINERS	PRESERVATION	LABORATORY USE			
									Turn Around Time			
							I=Ice N=HNO ₃ S=H ₂ SO ₄ O=NaOH T=Na ₂ S ₂ O ₃ C=HCl Z=ZnOAC E=EDTA	Std	5 day	4 day	3 day	
								48 Hr	24 Hr	Same Day		
							PRESERVATION	Work Order Number:				
								Remarks				

Signature	Print Name	Company	Date	Time
Sampled By:			*****	*****
Relinquished By:				
Received By:				
Relinquished By:				
Received By:				

Key* Matrix: SW=(Surface Water), GW=(Ground Water), WW=(Waste Water), DW=(Drinking Water), SL=(Sludge), SO=(Soil), AS=(asbestos), LPG=(Liquid Petroleum), AG=(Air/Gas), Other: LIST

REMARKS: _____

REQUEST BATCO TO DISPOSE OF ALL SAMPLE REMAINDERS _____(Signature) IF SAMPLE IS DETERMINED TO BE HAZARDOUS, A MINIMUM ADDITIONAL CHARGE OF \$30.00 PER SAMPLE WILL BE ASSESSED.	DCN: BA-001 REV# 1.7 ED:03/15/2022
--	--